



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

14748-10-1063

Falzleisten

Product group: Trims



MEHR LEISTEN

KGM Holzerzeugnisse GmbH
Munninger Straße 4
86732 Oettingen



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 15 December 2025



Contents

■ SHI Product Assessment 2024	1
■ QNG - Qualitätssiegel Nachhaltiges Gebäude	2
■ DGNB New Construction 2023	3
■ DGNB New Construction 2018	4
■ BNB-BN Neubau V2015	5
■ EU taxonomy	6
■ BREEAM DE Neubau 2018	7
Product labels	8
Legal notices	9
Technical data sheet/attachments	10

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

Falzleisten

SHI Product Passport no.:

14748-10-1063



MEHR LEISTEN

SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Wood materials	TVOC $\leq 300 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 36 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid untill: 25 July 2027			



Product:

Falzleisten

SHI Product Passport no.:

14748-10-1063



MEHR LEISTEN

QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	9.2 Wood-based materials (blockboard, fibreboard, veneer, and solid wood panels)	Formaldehyde / VOC / emissions / hazardous substances / SVHC: boron compounds	QNG ready

Verification: eco-INSTITUT Germany GmbH, Schanzenstraße 6-20, Carlswerk 1.19 in 51063 Köln vom 06. Juli 2023, Prüfbericht Nr. B58051-A001-L. Konformitätserklärung vom 14.04.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt. Herstellererklärung vom 15.08.2024.



Product:

Falzleisten

SHI Product Passport no.:

14748-10-1063



MEHR LEISTEN

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	1 Coatings on non-mineral substrates: metals, wood, plastics	VVOC, VOC, SVOC Emissionen oder Gehalt	Quality level 4

Verification: Herstellererklärung vom 10.12.2025

Criteria	Assessment
SOC1.2 Indoor air quality (*)	May positively contribute to the overall building score

Verification: SHI-Schadstoffgeprüft

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	1 Coatings on non-mineral substrates: metals, wood, plastics	VVOC, VOC, SVOC Emissionen oder Gehalt	Quality level 4

Verification: Herstellererklärung vom 10.12.2025



Product:

Falzleisten

SHI Product Passport no.:

14748-10-1063



MEHR LEISTEN

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	1 Coatings on non-mineral subsurfaces	VOC	Quality level 3

Verification: Herstellererklärung vom 10.12.2025



Product:

Falzleisten

SHI Product Passport no.:

14748-10-1063



MEHR LEISTEN

BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt			Not relevant for assessment



Product:

Falzleisten

SHI Product Passport no.:

14748-10-1063



MEHR LEISTEN

EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control		Substances according to Annex C	EU taxonomy compliant
Verification: Herstellerklärung vom 03.09.2025			



Product:

Falzleisten

SHI Product Passport no.:

14748-10-1063



MEHR LEISTEN

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality			Not relevant for assessment



Product:

Falzleisten

SHI Product Passport no.:

14748-10-1063



MEHR LEISTEN

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

Falzleisten

SHI Product Passport no.:

14748-10-1063



MEHR LEISTEN

Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Aussteller:

KGM Holzerzeugnisse GmbH
Munninger Str. 4
86732 Oettingen



MEHR LEISTEN

Herstellernerklärung EU-TAXONOMIE VERORDNUNG

Zur Bestätigung der Konformität gemäß Anlage C zur Vermeidung und Verminderung der Umweltverschmutzung gemäß der Delegierten Verordnung (EU) 2023/2486 der Kommission vom 27. Juni 2023.

Wir bestätigen für unsere zertifizierten Produkte:

- Abdeck- und Verkleidungsleisten
- Banklatten
- Bekleidungsleisten
- Deckenabschlussleisten
- Dreikantleisten
- Ecktürme
- Falzleisten
- Heizkörperrosetten
- Hohlkehlleisten
- Profil- und Nutleisten
- Quadrat- und Rechteckleisten
- Rund-, Halbrund- und Riffelstäbe
- Sockelleisten furniert oder mit Starkfolie ummantelt
- Sockelleisten Kiefer
- Sockelleisten Massivholz
- Sockelleisten MDF
- Tischkant- und Tapetenleisten
- Viertelstäbe
- Winkelleisten

Das Produkt/ Erzeugnis/ mindestens ein Teilerzeugnis enthält Stoffe der Kandidatenliste (Version zum Ausstellungsdatum) oberhalb 0,1 Massen%:	nein
Das Produkt/Erzeugnis/mindestens ein Teilerzeugnis enthält weitere CMR-Stoffe der Kategorie 1A oder 1B, die nicht auf der Kandidatenliste stehen, oberhalb von 0,1 Massen-% in mindestens einem Teilerzeugnis:	nein

Oettingen, 03.09.25

.....
Ort und Datum

KGM Holzerzeugnisse GmbH
Munninger Str. 4
86732 Oettingen

.....
Unterschrift Aussteller

Aussteller:

KGM Holzerzeugnisse GmbH
Munninger Str. 4
86732 Oettingen



MEHR LEISTEN

Herstellererklärung KGM Holzerzeugnisse GmbH für lackierte Holzprodukte

Wir bestätigen, dass die Anforderungen von QNG und DGNB 2023 (3. und 4. Auflage) eingehalten werden und alle verwendeten Lacke **einen VOC-Gehalt von < 100 g/l** aufweisen.

Oettingen, 10.12.25

.....
Ort und Datum

KGM Holzerzeugnisse GmbH
Munninger Str. 4
86732 Oettingen

.....
Unterschrift Aussteller