



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

14149-10-1001

Grand Selection


Product group: Laminate



SWISS KRONO Tec AG
Museggstr. 14
6004 Luzern



Product qualities:



Köttner

Helmut Köttner
Scientific Director
Freiburg, 16 December 2025



Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 BREEAM DE Neubau 2018	6
Product labels	7
Legal notices	8
Technical data sheet/attachments	9

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

Grand Selection

SHI Product Passport no.:

14149-10-1001



SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Wood-based floor coverings	TVOC $\leq 300 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 36 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid untill: 04 June 2027			



Product:

Grand Selection

SHI Product Passport no.:

14149-10-1001



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.3 Multi-layer wood parquet, bamboo coverings, and floor coverings on wood-based panels	VOC / Emissions / hazardous substances	QNG ready

Verification: Prüfbericht des Labors EPH Entwicklungs- und Prüflabor Holztechnologie GmbH vom 03.05.2022 (Nr. 2722102/CT/I/I)



Product:

Grand Selection

SHI Product Passport no.:

14149-10-1001



DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	47c Wood-based materials in floor coverings	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 4
Verification: Prüfbericht des Labors EPH Entwicklungs- und Prüflabor Holztechnologie GmbH vom 03.05.2022 (Nr. 2722102/CT/I/I)			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	47c Floor coverings for indoor use (with wooden components)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 4
Verification: Prüfbericht des Labors EPH Entwicklungs- und Prüflabor Holztechnologie GmbH vom 03.05.2022 (Nr. 2722102/CT/I/I)			



Product:

Grand Selection

SHI Product Passport no.:

14149-10-1001



DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	47a Industrially manufactured products	Formaldehyde	Quality level 4
Verification: Prüfbericht des Labors EPH Entwicklungs- und Prüflabor Holztechnologie GmbH vom 03.05.2022 (Nr. 2722102/CT/I/I)			



Product:

Grand Selection

SHI Product Passport no.:

14149-10-1001



BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	2b Wood-based floor coverings – also systems	VOC / hazardous substances	Quality level 3
Verification: Prüfbericht des Labors EPH Entwicklungs- und Prüflabor Holztechnologie GmbH vom 03.05.2022 (Nr. 2722102/CT/I/I)			



Product:

Grand Selection

SHI Product Passport no.:

14149-10-1001



BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Flooring materials (including floor levelling compounds and resin flooring)	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality
Verification: Prüfbericht des Labors EPH Entwicklungs- und Prüflabor Holztechnologie GmbH vom 03.05.2022 (Nr. 2722102/CT/I/I)			



Product:

Grand Selection

SHI Product Passport no.:

14149-10-1001



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

Grand Selection

SHI Product Passport no.:

14149-10-1001



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Grand Selection

		GRAND SELECTION AUTHENTIC	GRAND SELECTION EVOLUTION	GRAND SELECTION PERFECTION	GRAND SELECTION CHEVRON	GRAND SELECTION ORIGIN	GRAND SELECTION LIBERTY	
Dicke Material	mm	14	14	11	10	14	8	
Dicke Material (imperial)	inmm	0.5512	0.5512	0.4331	0.3937	0.5512	0.315	
Breite Material	mm	244	193	244	329	244	193	
Breite Material (imperial)	in	9.6063	7.5984	9.6063	12.9528	9.6063	7.5984	
Länge Material	mm	1845	1380	2025	1380	2025	1380	
Länge Material (imperial)	in	72.6378	54.3307	79.7244	54.3307	79.7244	54.3307	
Leistungserklärung (DoP)		KCH_LFa-GSO_002						
Abhebefestigkeit	N/mm²	1.25						DIN EN 13329
Dickenquellung	%	≤ 8	≤ 8	≤ 10	≤ 10	≤ 8	≤ 10	DIN EN 13329
Formaldehydmission (ppm) E1	ppm	≤ 0.1	≤ 0.1	≤ 0.11	≤ 0.1	≤ 0.1	≤ 0.1	EN 717-1 ASTM D-6007
Formaldehydmission (ppm) CARB II / TSCA Title VI	ppm	≤ 0.11	≤ 0.11	≤ 0.1	≤ 0.11	≤ 0.11	≤ 0.11	ASTM D-6007
Brandverhalten (EU)		Bfl-s1						DIN EN 13501-1
Garantie Wohnen	a	35						
Garantie Gewerbe	a	5						
Nutzungsklasse Fußböden (Model)		33						
Fuge		V-Fuge 4 seitig	V-Fuge 4 seitig	V-Fuge 4 seitig	-	V-Fuge 4 seitig	V-Fuge 4 seitig	
Geeignet für Bodenheizung		Ja						
Wärmedurchlasswiderstand	(m²K)/W	0.1	0.1	0.059	0.059	0.1	0.059	DIN EN 12667
Elektrostatische Aufladung	kV	≤ 2						EN 1815
Rutschfestigkeit EU		DS						DIN EN 14041
Abriebfestigkeit Info		Klasse 33/AC5						
Profil		5G+	5G	5G+	5G	5G+	5G	
Mikrokratzfestigkeit		MSR-A3						DIN EN 13329
Stossfestigkeit kleine Kugel	N	≥ 15						DIN EN 13329
Stossfestigkeit grosse Kugel	mm	≥ 1000						DIN EN 13329
Stossfestigkeit grosse Kugel Info		≥ Klasse 33/AC5						DIN EN 13329
Fleckenunempfindlichkeit (Gruppe 1)		Klasse 5 - keine Schäden						DIN EN 13329
Fleckenunempfindlichkeit (Gruppe 2)		Klasse 5 - keine Schäden						DIN EN 13329
Fleckenunempfindlichkeit (Gruppe 3)		Klasse 4						DIN EN 13329
Lichtecheit Lichtecheitstyp		6						DIN EN 13329
Lichtecheit Graumassstabstufe		4						DIN EN 13329
Verschieben eines simul. Möbelfusses		Keine Schäden						DIN EN 13329
Stuhlrollenversuch		Keine Schäden						DIN EN 13329
Antibakteriell		Ja						
VOC-Emissionen 28 Tage	µg/m³	< 100						DIN EN ISO 16000 DIN EN ISO 16000-10
Resteindruck	mm	≤ 0.05						DIN EN ISO 24343-1
Ökologische Eigenschaften		schwermetallfreie Beschichtung, keine Biozide, keine Chloride, kein Post-Consumer Recyclingholz, Erneuerbare Energie > 90%, Schweizer Holz, thermisch verwertbar, UF Leim ~18%, Holzfasern ~80%						

Toleranzen

Dicke (Durchschnitt), t	$\Delta t_{average}$	$\leq 0.5\text{ mm}$
Dicke (Max-Min), t	$t_{max} - t_{min}$	$\leq 0.5\text{ mm}$
Länge Toleranz, l	Δl	$\leq 0.5\text{ mm}$
Breite (Durchschnitt), w	$\Delta w_{average}$	$\leq 0.1\text{ mm}$
Breite (Max-Min), w	$w_{max} - w_{min}$	$\leq 0.2\text{ mm}$
Kantengeradheit, s	s_{max}	$\leq 0.3\text{ mm/m}$
Rechtwinkligkeit, q	q_{max}	0.2 mm
Fugenöffnungen (Durchschnitt), o	$o_{average}$	$\leq 0.15\text{ mm}$
Fugenöffnungen (max), o	o_{max}	$\leq 0.2\text{ mm}$

Hinweise & Links

Reinigungund Pflege	https://www.grandselection.com
Verlegehinweise	https://www.grandselection.com
Sortiment, Infomaterial	https://www.grandselection.com
Garantiebestimmungen	https://www.grandselection.com
Leistungserklärung (DoP)	https://www.grandselection.com

Massänderungen bei Änderung der rel. Luftfeuchte (Breite), δ	$\delta_{w\ average}$	$\leq 0.9\text{ mm}$
Massänderungen bei Änderung der rel. Luftfeuchte (Länge), δ	$\delta_{l\ average}$	$\leq 0.9\text{ mm}$
Höhenunterschiede (Durchschnitt), h	$h_{average}$	$\leq 0.1\text{ mm}$
Höhenunterschiede (Max), h	h_{max}	$\leq 0.15\text{ mm}$
Ebenheit Breite, konkav, f	$f_{w, concave}$	$\leq 0.15\text{ \%}$
Ebenheit Breite, konvex, f	$f_{w, convex}$	$\leq 0.2\text{ \%}$
Ebenheit Länge, konkav, f	$f_{l, concave}$	$\leq 0.5\text{ \%}$
Ebenheit Länge, konvex, f	$f_{l, convex}$	$\leq 1\text{ \%}$